

SANTINT


G36L

Manual Clamping Gyroscopic Mixer

Easy Clamping

Safe Mixing





- Matured structure of manual clamping, robust and reliable.
- Patented designs lead to easy clamping and safe mixing.
- Upgraded version of manual mixer. Replacer of automatic mixer. Suitable for tinting centers and retail stores.

Item	Detail	Item	Detail
Mixing Mode	Gyroscopic	Clamping Mode	Manual
Mixing Time	30-900s In 30s	Mixing Speed	200/150/125rpm
Mixing Range	1 ~ 36Kg	Can Size	90 ~ 400mm
Power Supply	220V/110V 50Hz/60Hz	Power	750W
Weight	220Kg	Dimension (WxDxH)	795×920×1080mm



Easy to load and unload

- Tri-direction door, easy to open and close, open space.
- Extractable loading plate, easy loading and unloading even for big cans.

Unique Clamping System



- Simple and labor-saving mechanism designed for easy manual clamping.
- Faster and more convenient clamping than automatic mechanism.

LCD Screen



- Running status and malfunctions clearly shown on the screen.



- Proper clamping or no mixing.
- Automatic clamping detection makes safe mixing easy.



Clamping Detection System



Guide Screw Protection

- Guide screw and pole equipped with covers for splash-proof function. Less maintenance.


- Manual clamping, adjustable pressure for different cans.



Applicable Scenarios

- Wide range of time selection: 30-900s.

- Sealed electric components, fearless of dust.



SANTINT

G36L

THANKS !

SANTINT · CHINA

Address: Xushui Industrial Trade
Park, Zhengzhou.
Tel: +86 371 6785 7168

SANTINT · POLAND

Address: ul. Postepu 19. mag.5
02-676 Warszawa Polska
Email: info@santint.com

SANTINT · U.S.A

Address: 2000 Bloomingdale Road, Suite
220, Glendale Heights, IL 60139
Tel: +1 847 350 6911

SANTINT · AUSTRALIA

Address: 2/4 Weddel Court
Laverton North Victoria
Email: info@santint.com