

INTEGRATED MACHINE OF DISPENSER & MIXER

Small Footprint

Cost-effective





- Applicable for medium and small shops.
- Dispenser and shaker in one, cost-effective.
- Small footprint, space-saving.

Item	Detail	Item	Detail
Mixing Mode	Vibrational	Pump Capacity	2Y/5Y
Speed	680rpm	Mini Shot	1/384Y (0.077ml)
Clamping Mode	Automatic	Canister Capacity	2.3L
Canister Size	Diameter≤360mm, Height≤390mm	Mixing Mode	Automatic
Canister Height	50~390 mm	Max Mixing Weight	35Kg
Mixing Efficiency	3 minutes for big canister1 minute for small canister.	Mixing Time	60 S/180 S/300 S(Optional)
Dimension (W X D X H)	820X805X1450 (mm)	Package Size (WXDXH)	950X1005X1330 (mm)
Motor Power	750W	Weight	270Kg



Stable Accuracy



- Ceramic valve, durable for weariness.
- Stainless steel pump with Teflon piston. Smooth and streamlined.



- Unique bob-weight, AC motor, ensured speed of 680 rpm both for the big and small cans.
- Available for various paints with the viscosity lower than 2500CP(110Ku).
- Shaking performance of 18L can is ensured.







Patented & Isolated Structure

- Stable running.
- Working noise < 70dB.
- Lifespan of 8-12 years.











■ Buckle connection of the pump and the canister. Easy to install and dismantle.

Plug-in nozzle, easy to clean and dismantle. Multi-functionalbutton detects theerror to facilitatethe repair.





Avail in various environment

Overheat protection of motor ensures running even in hot season and areas.

■ Wide range of voltage adaption. No need for inverter.



SANTINT · CHINA

Address: Xushui Industrial Trade Park, Zhengzhou.

Tel:+86 371 6785 7168

SANTINT · POLAND

Address: ul. Postepu 19. mag.5 02-676 Warszawa Polska Email: info@santint.com

SANTINT · U.S.A

Address: 2000 Bloomingdale Road, Suite 220, Glendale Heights, IL 60139 Tel: +1 847 350 6911

SANTINT · AUSTRALIA

Address: 2/4 Weddel Court Laverton North Victoria Email: info@santint.com